EB-1780W

DATASHEET / BROCHURE





Ultra-mobile, HD-ready projector for on-the-go business users, combining intelligent features, superb image quality, easy set-up and true portability.

Staff that are constantly on the move and frequently make presentations at customer sites can benefit from this ultra-mobile projector, offering a winning combination of ultra-slim lightweight design, exceptional image quality and advanced functionality. With traditional wired and built-in wireless connectivity, time-saving set-up plus a range of advanced features, it's ideal for polished presentations.

Exceptional image quality

Enjoy superb image quality, impressive natural colours with an equally high white and colour light output of 3,000 lumens thanks to Epson's 3LCD technology. True Colours technology delivers a faithful reproduction of colours as they are meant to be and, with a 10,000:1 contrast ratio, projected images are crisp and clear.

Easy set-up

Automatic vertical and horizontal keystone correction makes it easy to set up the projector almost anywhere. The short throw ratio projects a large image from a shorter distance so that all meeting participants can be seated behind the projector as the front exhaust directs heat away from them. Thanks to its Auto Power On feature, the projector turns on when it detects signal input.

Smarter presentations

Users can view two data sources side by side with split screen, and MHL can show high-quality video and audio content from mobile devices while charging them at the same time.

True portability

The ultra-slim form factor and lightweight design makes this the ideal projector for anyone on the move. A carry case is included and the projector fits easily into a standard laptop bag.



KEY FEATURES

- Exceptional image quality Equally high white and colour light output of 3,000 lumens
- Horizontal and Vertical Keystone correction

Slides and images can be aligned and distortion corrected

- Lightweight & ultra-slim form factor Fits in the same bag as a laptop computer
- Free iProjection app Present wirelessly from a smartphone or tablet
- Split screen capability Display images from two different sources simultaneously
- Legal Statement

Complies with The UK Product Security and Telecommunications Infrastructure (Product Security) requirements. Epson will provide security updates for 7 years from purchase



PRODUCT SPECIFICATIONS

| TECHNOLOGY | | |
|----------------------------------------------------------------|-------------------------------------------------------------------------------------------|--|
| Projection System | 3LCD Technology, RGB liquid crystal shutter | |
| LCD Panel | 0.59 inch with C2 Fine | |
| IMAGE | | |
| Color Light Output | 3,000 Lumen- 1,900 Lumen (economy) In accordance with IDMS15.4 | |
| White Light Output | 3,000 Lumen - 1,900 Lumen (economy) In accordance with ISO 21118:2020 | |
| Resolution | WXGA 2 | |
| High Definition | HD ready | |
| Aspect Ratio | 16:10 | |
| Pixel Numbers | 1,024,000 | |
| Contrast Ratio | 10,000 : 1 | |
| Light source | Lamp | |
| Lamp | 206 W, 4,000 h durability, 7,000 h durability (economy mode) | |
| Keystone Correction | | |
| Colour Video Processing | | |
| 2D Vertical Refresh Rate | 100 Hz - 120 Hz | |
| Colour Reproduction | Upto 1.07 billion colours | |
| OPTICAL | | |
| Throw Ratio | 1.04 - 1.26:1 | |
| Zoom | Manual, Factor: 1 - 1.2 | |
| Screen Size | 30 inches - 300 inches | |
| Projection Distance Wide | 0.7 m - 6.8 m | |
| Projection Distance Tele | 0.8 m - 8.2 m | |
| Projection Distance Wide/Tele 1.35 m - 1.62 m (60 inch screen | | |
| Projection Lens F Number 1.58 - 1.7 | | |
| Projection Lens Focal Length | Focal Length 13.52 mm - 16.22 mm | |
| Projection Lens Focus | - | |
| Offset | 10:1 | |
| CONNECTIVITY | | |
| USB Display Function | 3 in 1: Image / Mouse / Sound | |
| Interfaces | USB 2.0-A, USB 2.0, VGA in, HDMI in, Composite in, Jack plug in, MHL, Wireless LAN IEEE | |
| | 802.11b/g/n, Wireless LAN b/g/g 25GHz | |
| Epson iProjection App | Ad-Hoc / Infrastructure | |
| ADVANCED FEATURES | | |
| Security | Kensington lock, Wireless LAN security, Password protection | |
| Other features | AV Mute Slide, Built-in speaker, Document Camera Compatible, Home Screen, Instant on/off, | |
| | JPEG Viewer, Long lamp life, MHL audio/video interface, PC Free, Projection App for | |
| | Chromebook, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjection App | |
| Video Color Modes | Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM SIM | |
| Video Color Modes | Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM SIM | |

EB-1780W

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Software (CD)
- HDMI Cable 1.8m
- USB cable
- Carrying bag



PRODUCT SPECIFICATIONS

| GENERAL | | |
|-------------------------|-----------------------------------------------------------------------------------------------------------|--|
| Power consumption | 252 Watt (Normal On-Mode), 178 Watt (Eco On-Mode), 277 Watt (Normal Peak-mode), 200 | |
| | Watt (Eco Peak-Mode), 0.34 Watt (Energy saving standby) | |
| Supply Voltage | AC 100 V - 240 V, 50 Hz - 60 Hz | |
| Product dimensions | 292 x 213 x 44 mm (Width x Depth x Height) | |
| Product weight | 1.8 kg | |
| Noise Level | Normal: 39 dB (A) - Economy: 30 dB (A) | |
| Supported Temperature | Operation 5° C - 40° C, Storage -10° C - 60° C | |
| Supported Humidity | Operation 20% - 80%, Storage 10% - 90% | |
| | If the projector is suspended from a ceiling or wall mount and installed in an environment with | |
| | heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke | |
| | or bubbles are used for event staging, or where aroma oils are frequently burned, it can make | |
| | certain parts of our products susceptible to a material degradation which over time could | |
| | break and cause the projector to drop from the ceiling. | |
| | If you are concerned about the environment in which your projector is installed, or if you have | |
| | any other questions, please contact our support department and they can provide additional assistance. | |
| Included Software | EasyMP Multi PC Projection | |
| Options | Air filter, Ceiling mount, Document camera, Setting plate, Spare lamp, WP System - ELPWP20 | |
| • | Wireless transmitter - ELPWT01 | |
| Loudspeaker | 1 Watt | |
| Room Type / Application | Boardroom, Huddle space / Portable, Large Meeting Room / Auditorium | |
| Positioning | Ceiling Mounted, Desktop | |
| Colour | White / Black | |
| OTHER | | |
| Warranty | 60 months Carry in, Lamp: 60 months or 1,000 h | |
| | Optional warranty extension available | |

EB-1780W

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Software (CD)
- HDMI Cable 1.8m
- USB cable
- Carrying bag



OPTIONAL ACCESSORIES

- ELPLP94
- V13H010L94 • Air Filter - ELPAF53
- V13H134A53
- Setting Plate ELPPT01
- V12H003D01 • Safety Wire - ELPWR01
- V12H003W01

LOGISTICS INFORMATION

| ѕки | V11H795041 |
|-------------------|---------------|
| EAN code | 8715946629926 |
| Country of Origin | Philippines |
| Layer | 5 Units |
| Layer Block | 6 Units |
| | |

Wireless Presentation Systems

• Epson ELPWP20 - Wireless Presentation System V12HA42040

For more information please contact:

Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras. Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2022-08-19 EB-1780W

EPSON[®]